## TYLENOL® Professional Dosing Information for Infants & Children

**Note:** If possible, use weight to dose, otherwise use age. To arrive at the correct dose, weigh your child before giving TYLENOL\*. A healthcare professional should be consulted for dosing in children under the age of two years.



Always ask your healthcare professional Age which product is right for your child.  Weight		Your child's weight and age									
		-	0-3 mos 6-11 lbs	4-11 mos 12-17 lbs	12-23 mos 18-23 lbs	2-3 yrs 24-35 lbs	4-5 yrs 36-47 lbs	6-8 yrs 48-59 lbs	9-10 yrs 60-71 lbs	11 yrs 72-95 lbs	12 yrs 95 lbs & ove
Concepted Infants Depo Infants	Concentrated TYLENOL® Infants' Drops Cherry, Grape & Cherry dye-free flavo Active Ingredient: Acetaminophen 86 (in each 0.8mL)		0.4mL	0.8mL	1.2mL (0.8mL + 0.4mL)	1.6mL (0.8mL + 0.8mL)	-	-	_	-	-
TYLENOL TYLENOL TYLENOL TYLENOL TYLENOL TYLENOL TYLENOL TYLENOL TYLENOL TYLENOL TYLENOL TYLENOL TYLENOL TYLENOL TYLENOL TYLENOL	Children's TYLENOL® Suspe Cherry Blast, Very Berry Strawberry, Bubblegum Yum, Grape Splash & Che dye-free flavors Active Ingredient: Acetaminophen 16 (in each 5mL or 1 tsp)	erry	-	-	-	1 tsp or 5mL	1 <sup>1/</sup> 2 tsp or 7.5mL	2 tsp or 10mL	2 <sup>1</sup> /2 tsp or 12.5mL	3 tsp or 15mL	-
Use only as directed.	Children's TYLENOL® Meltaway Tablets  Bubblegum Burst, Wacky Watermelon Grape Punch flavors  Active Ingredient: Acetaminophen 86 (in each tablet)		-	-	-	2 tablets	3 tablets	4 tablets	5 tablets	6 tablets	-
Use only as directed.	Jr. TYLENOL® Meltaway Tak Bubblegum Burst & Grape Punch flav Active Ingredient: Acetaminophen 16 (in each tablet)	ors	-	-	-	-	_ sp = teaspoon*	2 tablets	2 <sup>1</sup> /2 tablets	3 tablets	4 tablets
Take every 4 hours as needed. Do not exceed more than 5 doses in 24 hours.											

Your child's weight and age

## **Important Instructions for Proper Use**

- Read and follow the label instructions on all TYLENOL\* products
- Take every 4 hours as needed
- Do not exceed more than 5 doses in 24 hours
- Do NOT use with any other product containing acetaminophen
- · Keep all medicines out of the reach of children
- Do NOT administer adult medicines to children

- \*Use only the dosing device that comes with a specific product
- Concentrated TYLENOL® Infants' Drops are more concentrated than Children's TYLENOL® Liquids. The Concentrated Infants' Drops have been specifically designed for use with enclosed dropper.
- Children's TYLENOL® Liquids are less concentrated than Concentrated TYLENOL® Infants' Drops. The Children's TYLENOL® Liquids have been specifically designed for use with the enclosed measuring cup.
- Children's TYLENOL® Meltaway Tablets are not the same concentration as Jr. Strength TYLENOL® Meltaway Tablets. Jr. TYLENOL® Meltaway Tablets contain 160mg of acetaminophen while Children's TYLENOL® Meltaway Tablets contain 80mg of acetaminophen.
- If you have any questions, contact your healthcare professional or call 1-877-895-3665

## MOTRIN® Professional Dosing Information for Infants & Children

**Note:** If possible, use weight to dose, otherwise use age. To arrive at the correct dose, weigh your child before giving MOTRIN\*. A healthcare professional should be consulted for dosing in children under the age of six months.



Always ask your healthcare professional Age which product is right for your child.  Weight		Your child's weight and age										
		_	0-5 mos 6-11 lbs	6-11 mos 12-17 lbs	12-23 mos 18-23 lbs	2-3 yrs 24-35 lbs	4-5 yrs 36-47 lbs	6-8 yrs 48-59 lbs	9-10 yrs 60-71 lbs	11 yrs 72-95 lbs		
Conceptation  Motrin Infants Drops Dve-Free  Berry Havo  Use only as directed.	Concentrated MOTRIN® Infants' Drops  Berry & Berry dye-free flavors  Active Ingredient: Ibuprofen 50mg (in each 1.25mL)		-	1.25mL	1.875mL	-	-	-	-	-		
Children's Motrin Oye-Free Perry Havor Original terry Havor Use only as directed.	Children's MOTRIN® Suspe Berry, Grape, Tropical Punch, Bubblegum & Berry dye-free flavors Active Ingredient: Ibuprofen 100mg (in each 5mL or 1 tsp)		-	-	-	1 tsp or 5mL	1 ½ tsp or 7.5mL	2 tsp or 10mL	2 ½ tsp or 12.5mL	3 tsp or 15mL		
Land State of the Control of the Con	MOTRIN® Junior Strength Easy-to-Swallow Caplets  Active Ingredient: Ibuprofen 100mg (in each caplet)		-	-	-	_	-	2 caplets	2 <sup>1</sup> /2 caplets	3 caplets		
Motrin Junior Strength and	MOTRIN® Junior Strength Chewable Caplets Orange & Grape flavors Active Ingredient: Ibuprofen 100mg (in each tablet)		-	-	-	1 tablet	1 ½ tablets tsp = teaspoon*	2 tablets	2 ½ tablets	3 tablets		
	etiene fen Duenen II.e.		Take every 6-8 hours as needed. Do not exceed more than 4 doses in 24 hours.									

Your child's weight and age

## **Important Instructions for Proper Use**

- Read and follow the label instructions on all MOTRIN® products
- Take every 6-8 hours as needed
- Do not exceed more than 4 doses in 24 hours
- Do NOT administer longer than 10 days, unless directed by a doctor
- Ask a doctor or pharmacist before use if the child is taking any other drug containing an NSAID (prescription or nonprescription)
- MOTRIN® contains ibuprofen

- Keep all medicines out of the reach of children
- \*Use only the dosing device that comes with a specific product
- Household items such as measuring spoons are less accurate
- · Do NOT administer adult medicines to children
- Concentrated MOTRIN® Infants' Drops are more concentrated than Children's MOTRIN® Liquids. The Concentrated Infants' Drops have been specifically designed for use with enclosed dosing device.
- Children's MOTRIN® Liquids are less concentrated than Concentrated MOTRIN® Infants' Drops. The Children's MOTRIN® Liquids have been specifically designed for use with the enclosed measuring cup.
- The OTC dosing: the recommended dose is 7.5mg/kg every 6-8 hours. The recommended daily dose is 30mg/kg.
- If you have any questions, contact your healthcare professional or call 1-877-895-3665